

Dialing DataStar


[options](#)
[logout](#)
[feedback](#)
[help](#)
[databases](#)
[easy search](#)

Advanced Search: INSPEC - 1969 to date (INZZ)

[limit](#)

Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	steering	unrestricted	10320	show titles
2	INZZ	steer ADJ by ADJ wire	unrestricted	0	-
3	INZZ	steering AND power	unrestricted	1623	show titles
4	INZZ	3 AND piezo	unrestricted	7	show titles

[hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)
Enter your search term(s): [Search tips](#) ☐ Thesaurus mapping
 [whole document](#)

 Information added since: or: [none](#)
[search](#)

Select special search terms from the following list(s):

- ☒ Publication year
- ☒ Classification codes A: Physics, 0-1
- ☒ Classification codes A: Physics, 2-3
- ☒ Classification codes A: Physics, 4-5
- ☒ Classification codes A: Physics, 6
- ☒ Classification codes A: Physics, 7
- ☒ Classification codes A: Physics, 8
- ☒ Classification codes A: Physics, 9
- ☒ Classification codes B: Electrical & Electronics, 0-5
- ☒ Classification codes B: Electrical & Electronics, 6-9
- ☒ Classification codes C: Computer & Control
- ☒ Classification codes D: Information Technology
- ☒ Classification codes E: Manufacturing & Production
- ☐ Treatment codes


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((steer by wire)<in>metadata)"

Your search matched **44** of **1235066** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

e-mail

» Search Options

[View Session History](#)
[New Search](#)

Modify Search


☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ **1. Yaw rate control of electric vehicle using steer-by-wire system**
 Hosaka, M.; Murakami, T.;
 Advanced Motion Control, 2004. AMC '04. The 8th IEEE International Workshop
 25-28 March 2004 Page(s):31 - 34
 Digital Object Identifier 10.1109/AMC.2004.1297636
[AbstractPlus](#) | Full Text: [PDF\(1408 KB\)](#) IEEE CNF
- ☐ **2. Evaluating quality of service and behavioral reliability of steer-by-wire sy**
 Wilwert, C.; YeQiong Song; Simonot-Lion, F.; Loria-Trio; Clement, T.;
 Emerging Technologies and Factory Automation, 2003. Proceedings. ETFA '03:
 Conference
 Volume 1, 16-19 Sept. 2003 Page(s):193 - 200 vol.1
 Digital Object Identifier 10.1109/ETFA.2003.1247706
[AbstractPlus](#) | Full Text: [PDF\(546 KB\)](#) IEEE CNF
- ☐ **3. Modification of vehicle handling characteristics via steer-by-wire**
 Yih, P.; Ryu, J.; Gerdes, J.C.;
 American Control Conference, 2003. Proceedings of the 2003
 Volume 3, 4-6 June 2003 Page(s):2578 - 2583 vol.3
 Digital Object Identifier 10.1109/ACC.2003.1243465
[AbstractPlus](#) | Full Text: [PDF\(579 KB\)](#) IEEE CNF
- ☐ **4. On the use of steer-by-wire systems in lateral driving assistance applicat**
 Mammar, S.; Sainte-Marie, J.; Glaser, S.;
 Robot and Human Interactive Communication, 2001. Proceedings. 10th IEEE I
 Workshop on
 18-21 Sept. 2001 Page(s):487 - 492
 Digital Object Identifier 10.1109/ROMAN.2001.981951
[AbstractPlus](#) | Full Text: [PDF\(370 KB\)](#) IEEE CNF
- ☐ **5. Embedded automotive system development process - steer-by-wire syst**
 Langenwalter, J.;
 Design, Automation and Test in Europe, 2005. Proceedings
 2005 Page(s):538 - 539 Vol. 1
 Digital Object Identifier 10.1109/DATE.2005.132
[AbstractPlus](#) | Full Text: [PDF\(120 KB\)](#) IEEE CNF

6. **Control concepts for lateral vehicle guidance including HMI properties**
Pei-shih Huang; Smakman, H.; Guldner, J.;
Systems, Man and Cybernetics, 2004 IEEE International Conference on
Volume 1, 10-13 Oct. 2004 Page(s):1 - 6 vol.1
Digital Object Identifier 10.1109/ICSMC.2004.1398263
[AbstractPlus](#) | Full Text: [PDF](#)(676 KB) IEEE CNF
7. **Vehicle state estimation using steering torque**
Yih, P.; Ryu, J.; Gerdes, J.C.;
American Control Conference, 2004. Proceedings of the 2004
Volume 3, 30 June-2 July 2004 Page(s):2116 - 2121 vol.3
[AbstractPlus](#) | Full Text: [PDF](#)(673 KB) IEEE CNF
8. **Model-matching control for steer-by-wire vehicles with under-actuated st**
Cortasao, R.; Bajcinca, N.;
Intelligent Robots and Systems, 2004. (IROS 2004). Proceedings. 2004 IEEE/
Conference on
Volume 2, 28 Sept.-2 Oct. 2004 Page(s):1148 - 1153 vol.2
Digital Object Identifier 10.1109/IROS.2004.1389551
[AbstractPlus](#) | Full Text: [PDF](#)(658 KB) IEEE CNF
9. **A backup system for automotive steer-by-wire, actuated by selective bral**
Dominguez-Garcia, A.D.; Kassakian, J.G.; Schindall, J.E.;
Power Electronics Specialists Conference, 2004. PESC 04. 2004 IEEE 35th An
Volume 1, 20-25 June 2004 Page(s):383 - 388 Vol.1
Digital Object Identifier 10.1109/PESC.2004.1355774
[AbstractPlus](#) | Full Text: [PDF](#)(445 KB) IEEE CNF
10. **Haptic control for steer-by-wire systems**
Bajcinca, N.; Cortasao, R.; Hauschild, M.; Bals, J.; Hirzinger, G.;
Intelligent Robots and Systems, 2003. (IROS 2003). Proceedings. 2003 IEEE/
Conference on
Volume 2, 27-31 Oct. 2003 Page(s):2004 - 2009 vol.2
Digital Object Identifier 10.1109/IROS.2003.1248948
[AbstractPlus](#) | Full Text: [PDF](#)(470 KB) IEEE CNF
11. **Brushless DC motor drive for steer-by-wire and electric power steering a**
Rodriguez, F.; Uy, E.; Emadi, A.;
Electrical Insulation Conference and Electrical Manufacturing & Coil Winding T
Conference, 2003. Proceedings
23-25 Sept. 2003 Page(s):535 - 541
[AbstractPlus](#) | Full Text: [PDF](#)(516 KB) IEEE CNF
12. **A hardware-in-the-loop and virtual reality test environment for steer-by-w**
evaluations
Setlur, P.; Wagner, J.; Dawson, D.; Powers, L.;
American Control Conference, 2003. Proceedings of the 2003
Volume 3, 4-6 June 2003 Page(s):2584 - 2589 vol.3
Digital Object Identifier 10.1109/ACC.2003.1243466
[AbstractPlus](#) | Full Text: [PDF](#)(746 KB) IEEE CNF
13. **A control of vehicle using steer-by-wire system with hardware-in-the-loop**
system
Seok-Hwan Jang; Tong-Jin Park; Chang-Soo Han;
Advanced Intelligent Mechatronics, 2003. AIM 2003. Proceedings. 2003 IEEE/
International Conference on
Volume 1, 20-24 July 2003 Page(s):389 - 394 vol.1
[AbstractPlus](#) | Full Text: [PDF](#)(458 KB) IEEE CNF

14. **HIL system for steering controller tests**
Guvenç, L.; Guvenç, B.A.; Yigit, T.; Oztürk, E.S.;
Control Applications, 2003. CCA 2003. Proceedings of 2003 IEEE Conference
Volume 1, 23-25 June 2003 Page(s):13 - 18 vol.1
[AbstractPlus](#) | Full Text: [PDF](#)(436 KB) IEEE CNF
15. **A nonlinear tracking controller for a haptic interface steer-by-wire system**
Seflur, P.; Dawson, D.; Chen, J.; Wagner, J.;
Decision and Control, 2002, Proceedings of the 41st IEEE Conference on
Volume 3, 10-13 Dec. 2002 Page(s):3112 - 3117 vol.3
[AbstractPlus](#) | Full Text: [PDF](#)(418 KB) IEEE CNF
16. **Nonlinear tracking controller design for steer-by-wire automotive system**
Setlur, P.; Dawson, D.; Wagner, J.; Fang, Y.;
American Control Conference, 2002. Proceedings of the 2002
Volume 1, 8-10 May 2002 Page(s):280 - 285 vol.1
Digital Object Identifier 10.1109/ACC.2002.1024817
[AbstractPlus](#) | Full Text: [PDF](#)(444 KB) IEEE CNF
17. **The vehicle stability control responsibility improvement using steer-by-w**
Hayama, R.; Nishizaki, K.; Nakano, S.; Katou, K.;
Intelligent Vehicles Symposium, 2000. IV 2000. Proceedings of the IEEE
3-5 Oct. 2000 Page(s):596 - 601
Digital Object Identifier 10.1109/IVS.2000.898413
[AbstractPlus](#) | Full Text: [PDF](#)(252 KB) IEEE CNF
18. **Virtual environment for developing electronic power steering and steer-b**
Jeha Ryu; HeeSoo Kim;
Intelligent Robots and Systems, 1999. IROS '99. Proceedings. 1999 IEEE/RS.
Conference on
Volume 3, 17-21 Oct. 1999 Page(s):1374 - 1379 vol.3
Digital Object Identifier 10.1109/IROS.1999.811671
[AbstractPlus](#) | Full Text: [PDF](#)(444 KB) IEEE CNF
19. **Landing gear steer-by-wire control system; digital vs. analog study**
Dacko, L.; Darlington, R.F.; Shindman, D.;
Reliability and Maintainability Symposium, 1990. Proceedings., Annual
23-25 Jan. 1990 Page(s):215 - 220
Digital Object Identifier 10.1109/ARMS.1990.67959
[AbstractPlus](#) | Full Text: [PDF](#)(408 KB) IEEE CNF
20. **Time-constrained failure diagnosis in distributed embedded systems: ap
actuator diagnosis**
Kandasamy, N.; Hayes, J.P.; Murray, B.T.;
Parallel and Distributed Systems, IEEE Transactions on
Volume 16, Issue 3, Mar 2005 Page(s):258 - 270
Digital Object Identifier 10.1109/TPDS.2005.37
[AbstractPlus](#) | Full Text: [PDF](#)(1752 KB) IEEE JNL
21. **Dealing with dormant faults in an embedded fault-tolerant computer syst**
Scherrer, C.; Steininger, A.;
Reliability, IEEE Transactions on
Volume 52, Issue 4, Dec. 2003 Page(s):512 - 522
Digital Object Identifier 10.1109/TR.2003.821943
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(634 KB) IEEE JNL
22. **Designing safety-critical computer systems**

Dunn, W.R.;
Computer
Volume 36, Issue 11, Nov. 2003 Page(s):40 - 46
Digital Object Identifier 10.1109/MC.2003.1244533
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(306 KB) IEEE JNL

┐ **23. Design projects on automotive controls - developing an automation lab f
projects**

Guvenc, L.; Guvenc, B.A.;
Control Systems Magazine, IEEE
Volume 24, Issue 5, Oct. 2004 Page(s):92 - 94
Digital Object Identifier 10.1109/MCS.2004.1337870
[AbstractPlus](#) | Full Text: [PDF](#)(1075 KB) IEEE JNL

┐ **24. Vehicle collision avoidance system [VCAS]**

Wong, C.Y.; Qidwai, U.;
Sensors, 2004. Proceedings of IEEE
24-27 Oct. 2004 Page(s):316 - 319 vol.1
Digital Object Identifier 10.1109/ICSENS.2004.1426165
[AbstractPlus](#) | Full Text: [PDF](#)(584 KB) IEEE CNF

┐ **25. Active steering control with front wheel steering**

Bing Zheng; Oh, P.; Lenart, B.;
American Control Conference, 2004. Proceedings of the 2004
Volume 2, 30 June-2 July 2004 Page(s):1475 - 1480 vol.2
[AbstractPlus](#) | Full Text: [PDF](#)(579 KB) IEEE CNF




[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

steer by wire

SEARCH

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used **steer by wire**Found **14,489** of **160,906**

Sort results by

relevance

[Save results to a Binder](#)Try an [Advanced Search](#)Try this search in [The ACM Guide](#)

Display results

expanded form

[Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1** [Reducing wire delay penalty through value prediction](#)

Joan-Manuel Parcerisa, Antonio González

December 2000 **Proceedings of the 33rd annual ACM/IEEE international symposium on Microarchitecture**

Full text available: pdf(148.85 KB)

ps(401.62 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#) [Publisher Site](#)**2** [Latency and latch count minimization in wave steered circuits](#)

Amit Singh, Arindam Mukherjee, Malgorzata Marek-Sadowska

June 2001 **Proceedings of the 38th conference on Design automation**

Full text available: pdf(151.69 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Wave Steering is a new design methodology that realizes high throughput circuits by embedding layout friendly synthesized structures in silicon. Wave Steered circuits inherently utilize latches in order to guarantee the correct signal arrival times at the inputs of these synthesized structures and maintain the high throughput of operation. In this paper, we show a method of reordering signals to achieve minimum circuit latency for Wave Steered circuits and propose an Integer Linear Program ...

3 [Emerging areas: Fault-tolerant platforms for automotive safety-critical applications](#)M. Baleani, A. Ferrari, L. Mangeruca, A. Sangiovanni-Vincentelli, Maurizio Peri, Saverio Pezzini
October 2003 **Proceedings of the 2003 international conference on Compilers, architecture and synthesis for embedded systems**

Full text available: pdf(736.40 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Fault-tolerant electronic sub-systems are becoming a standard requirement in the automotive industrial sector as electronics becomes pervasive in present cars. We address the issue of fault tolerant chip architectures for automotive applications. We begin by reviewing fault-tolerant architectures commonly used in other industrial domains where fault-tolerant electronics has been a must for a number of years, e.g., the aircraft manufacturing industrial sector. We then proceed to investigate how t ...

Keywords: VLSI, automotive, fault-tolerant, multi-processor, safety critical, system-on-a-